

Tue, 10 Jan 2006, 6:29:51 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	((dumm* near/4 data near/4 cach*)<in>metadata)	0
#2	((dumm* <paragraph> data <paragraph> cach*)<in>metadata)	4
#3	((dumm* <paragraph> data <paragraph> cach*)<in>metadata)	4
#4	(((((dumm* OR null OR bogus OR fak*) <paragraph> data <paragraph> cach*)<in>metadata))	7
#5	(((((dumm* OR null OR bogus OR fak*) <paragraph> data <paragraph> cach*)<in>metadata))	7
#6	(((((cach* or cop* or writ*) <near/3> (data)))<in>metadata)	2341
#7	(((((after or follow* or next or afterward* or thereafter or successive*) <near/4> ((read* or extract* or mov* or cop*) <near/3> (data))))<in>metadata)	24
#8	(((((cach* or cop* or writ*) <near/3> (data)))<in>metadata) <AND> (((((after or follow* or next or afterward* or thereafter or successive*) <near/4> ((read* or extract* or mov* or cop*) <near/3> (data))))<in>metadata))	1
#9	(((((cach* or cop* or writ*) <near/3> (data)))<in>metadata) <AND> (((((after or follow* or next or afterward* or thereafter or successive*) <near/4> ((read* or extract* or mov* or cop*) <near/3> (data))))<in>metadata))	1
#10	((((before or prior or afore or previous* or preced*) <near/4> ((read* or extract* or mov* or cop*) <near/3> (data)))<in>metadata)	21
#11	(((((cach* or cop* or writ*) <near/3> (data)))<in>metadata) <AND> (((((before or prior or afore or previous* or preced*) <near/4> ((read* or extract* or mov* or cop*) <near/3> (data)))<in>metadata))	3
#12	(((((cach* or cop* or writ*) <near/3> (data)))<in>metadata) <AND> (((((before or prior or afore or previous* or preced*) <near/4> ((read* or extract* or mov* or cop*) <near/3> (data)))<in>metadata))	3
#13	(((((cach* or cop* or writ*) <near/3> (data)))<in>metadata) <and> (((((before or prior or afore or previous* or preced*) <near/4> ((writ* or transfer* or mov* or cop*) <near/3> (data)))<in>metadata))	9
#14	(((((cach* or cop* or writ*) <near/3> (data)))<in>metadata) <and> (((((after or follow* or next or afterward* or thereafter or successive*) <near/4> ((writ* or transfer* or mov* or cop*) <near/3> (data))))<in>metadata))	11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	40154	(cach\$3 near4 (data OR datum)) OR ((cop\$3 OR writ\$3) near4 (data OR datum) near4 cach\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:26
L19	4048	(711/3,141,147,153,163).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:01
L20	4668	(711/128,133,135,154,159,220).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:01
L21	8083	L19 OR L20	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01
L22	60221	(multi ADJ processor\$1) OR multiprocessor\$1 OR (multiple near2 (processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1))))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01
L23	1140215	(processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:23
L24	813043	(fill\$3 OR cop\$3 OR mov\$3 OR writ\$3 stor\$3 OR cach\$3) near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01
L25	4054	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 (L23 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01
L26	38	L24 WITH L25 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01
L27	39985	(cach\$3) near4 (data OR datum)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01

L28	4998	(711/128,133,135,143,154,159,220).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:01
L29	8303	L19 OR L28	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01
L30	39	(L27 WITH L25) AND L29 AND L22	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01
L31	3124	((after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR successive\$4 OR first\$2 OR initial\$2)) near4 (L23 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum) near3 (memor\$3 OR "main memory" OR SDRAM\$1 OR SRAM\$1 OR DRAM\$1 OR RAM\$1 OR SIMM\$1 OR DIMM\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:30
L32	49	(L31 WITH L18) AND L29 AND L22 NOT (L30 OR L26)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 16:25
L33	49	((L31 WITH L18) AND L29 AND L22) NOT (L30 OR L26)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:35
L37	615	((before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4)) near4 (L23 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum) near3 (memor\$3 OR "main memory" OR SDRAM\$1 OR SRAM\$1 OR DRAM\$1 OR RAM\$1 OR SIMM\$1 OR DIMM\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:01
L38	7	((L37 WITH L18) AND L29 AND L22) NOT (L30 OR L26 OR L32)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:58
L39	21	((L31 SAME L18) AND L29 AND L22) NOT (L30 OR L26 OR L33)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:40
L40	1	((L37 SAME L18) AND L29 AND L22) NOT (L30 OR L26 OR L32 OR L38 OR L39)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:59

L41	365	L23 near4 (dumm\$4 OR null OR bogus OR fak\$3 OR pseudo OR pretend\$3) near4 (read\$3 OR load\$3 OR stor\$3 OR cop\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:40
L42	9854	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 ((writ\$3 OR cop\$3 OR mov\$3 OR transfer\$4) near4 L23)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:51
L43	2	L41 near4 L42	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:57
L44	2	L41 WITH L42	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:42
L45	13	L41 SAME L42	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:52
L46	6286	(before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4) near4 ((read\$3 OR cop\$3 OR mov\$3 OR transfer\$4 OR load\$3) near4 L23)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:53
L47	3	L41 near4 L46	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:58
L48	3	L41 WITH L46	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:58
L49	4	L41 SAME L46	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:53
L50	796	L23 WITH ((dumm\$4 OR null OR bogus OR fak\$3 OR pseudo OR pretend\$3) near4 (read\$3 OR load\$3 OR stor\$3 OR cop\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:22
L51	23955	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near10 ((writ\$3 OR cop\$3 OR mov\$3 OR transfer\$4) near10 L23)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:22

L52	20	(L50 SAME L51) NOT L45	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:39
L53	17790	(before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4) near10 ((read\$3 OR cop\$3 OR mov\$3 OR transfer\$4 OR load\$3) near10 L23)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:39
L54	27	(L50 SAME L53) NOT L49	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 16:14
L56	3662	((first OR initial\$2 OR before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4)) near4 (L23 near4 (read\$3 OR extract\$3 OR mov\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:10
L57	73	(L56 WITH L18) AND L29 AND L22	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:11
L58	17	(L56 SAME L18) AND L29 AND L22 NOT L57	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 16:59
L59	3137	((after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR successive\$4)) near4 (L23 near4 (read\$3 OR extract\$3 OR mov\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:10
L60	30	(L59 WITH L18) AND L29 AND L22	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:27
L61	22	(L59 SAME L18) AND L29 AND L22 NOT L60	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:28
L62	2545	L23 near4 (dumm\$4 OR null OR bogus OR fak\$3 OR pseudo OR pretend\$3 OR (place ADJ hold\$3) OR hold\$3 OR reserv\$3) near4 (read\$3 OR load\$3 OR stor\$3 OR cop\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:41
L63	1	(L62 WITH L42) NOT L44	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:47

L64	18	(L62 SAME L42) NOT (L45 OR L63)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:43
L65	29	(L62 WITH L46) NOT L48	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:48
L66	2	(L62 WITH L46) AND L29 NOT L48	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:48
L67	5	(L62 SAME L46) AND L29 NOT (L66 OR L49)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:49
L68	4175	(before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4) near4 ((writ\$3 OR cop\$3 OR mov\$3 OR transfer\$4) near4 L23)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:51
L69	1	L41 SAME L68	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:52
L70	17022	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 ((read\$3 OR cop\$3 OR mov\$3 OR transfer\$4 OR load\$3) near4 L23)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:53
L71	19	L41 SAME L70	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:53
S1	2	(hassane-mehdi OR hassane-mehdi-\$).in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:31
S2	4037	(711/3,141,147,153,163).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:31
S3	4655	(711/128,133,135,154,159,220).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:44
S4	8061	S2 OR S3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:45

S5	16897	(processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1))) near4 (cache near2 memor\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:36
S6	2017	(cache near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)) near4 ((correspond\$3 OR associat\$3 OR relat\$3 OR coincid\$3 OR correlat\$3 OR pertain\$3) near4 (memory near4 (address\$3 OR location\$1 OR set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:11
S7	156	S6 SAME S5 AND S4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:01
S8	75	S6 WITH S5 AND S4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:03
S9	1018	(711/147).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:03
S10	2	S6 WITH S5 AND S9	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:03
S11	60133	(multi ADJ processor\$1) OR multiprocessor\$1 OR (multiple near2 (processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1))))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:10
S12	101	(cache near4 (divid\$3 OR group\$4 OR separat\$3) near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)) near4 ((correspond\$3 OR associat\$3 OR relat\$3 OR coincid\$3 OR correlat\$3 OR pertain\$3) near4 (memory near4 (address\$3 OR location\$1 OR set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:19
S14	12322	(fill\$3 OR cop\$3 OR mov\$3 OR writ\$3 stor\$3) near4 cach\$3 near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:22

S15	6607	((fill\$3 OR cop\$3 OR mov\$3 OR writ\$3 stor\$3) near3 (data OR datum)) near4 cach\$3 near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:57
S16	401	S15 SAME S6	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:27
S17	208	S16 AND S4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:27
S18	262	S15 WITH S6	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:22
S19	136	S18 AND S4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:27
S20	1139356	(processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:36
S21	4052	(after OR follow\$3 OR subsequent\$3 OR next OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 (S20 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:58
S22	1	S15 WITH S6 WITH S21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:01
S23	3	S15 SAME S6 SAME S21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:01
S24	1536	(before OR prior OR afore OR previous\$2 OR forward OR follow\$3 OR preced\$3 OR anteced\$4) near4 (S20 near4 (read\$3 OR extract\$3 OR cop\$3 OR mov\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:00
S25	1	S15 WITH S6 WITH S24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:01

S26	2	S15 SAME S6 SAME S24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:01
S27	1091	(711/141).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:03
S28	29	S6 WITH S5 AND S27	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:03
S29	132	(S15 WITH S6) AND S11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:22
S30	84	(S15 WITH S6) AND S11 AND S4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:25
S31	52	(S15 WITH S6) AND S11 AND (S27 OR S9)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:25
S32	812492	(fill\$3 OR cop\$3 OR mov\$3 OR writ\$3 stor\$3 OR cach\$3) near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:42
S33	4052	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 (S20 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:47
S34	338	S32 WITH S33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:00
S35	38	S32 WITH S33 AND S4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:45
S36	30	S32 SAME S33 AND S4 NOT S35	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:30
S37	39927	(cach\$3) near4 (data OR datum)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:52

S38	4985	(711/128,133,135,143,154,159,220).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:45
S39	8281	S2 OR S38	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:45
S40	65	(S37 WITH S33) AND S39	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:46
S41	39	(S37 WITH S33) AND S39 AND S11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:53
S42	3606	((after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR successive\$4 OR first\$2 OR initial\$2) OR (before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4)) near4 (S20 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum) near3 (memor\$3 OR "main memory" OR SDRAM\$1 OR SRAM\$1 OR DRAM\$1 OR RAM\$1 OR SIMM\$1 OR DIMM\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:56
S43	276594	(cach\$3 OR cop\$3 OR writ\$3) near4 (data OR datum)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 18:00
S44	142	(S42 WITH S43) AND S39 AND S11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:57
S45	1951	(cach\$3 near4 S43) AND S39 AND S11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:54
S46	3121	((after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR successive\$4 OR first\$2 OR initial\$2)) near4 (S20 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum) near3 (memor\$3 OR "main memory" OR SDRAM\$1 OR SRAM\$1 OR DRAM\$1 OR RAM\$1 OR SIMM\$1 OR DIMM\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:56

S47	129	(S46 WITH S43) AND S39 AND S11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 18:45
S48	34075	((cach\$3 OR cop\$3 OR writ\$3) near4 (data OR datum) near4 cach\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:00
S49	40672	((cach\$3 OR cop\$3 OR writ\$3) near4 (data OR datum) WITH cach\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 18:00
S50	73	(S46 WITH S49) AND S39 AND S11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 18:01
S52	59	(S46 WITH S49) AND S39 AND S11 NOT (S41 OR S35)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/09 18:43
S53	8	("20020032823" "5761727" "5901326" "6081783" "6253293" "6314501" "6493773" "6542926").PN. OR ("6757786"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 18:42
S54	44	(S46 WITH S48) AND S39 AND S11 NOT (S41 OR S35)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:01